NSN 5950-01-136-1946

Pulse Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-136-1946

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

10.740 inches single mounting facility single center group and 10.760 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

7.970 inches single mounting facility single center group and 8.030 inches single mounting facility single center group

Mounting Hole Diameter:

0.250 inches single group

Primary To Secondary Turn Ratio:

1 to 9-1/4 single component

Pulse Repetition Rate:

6.0 kilohertz single component

Winding Shielding Method:

Core grounded to inclosure single component

Body Length:

Between 11.720 inches and 11.780 inches

Body Width:

Between 8.970 inches and 9.030 inches

Body Height:

Between 5.970 inches and 6.030 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

6 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

6.8 amperes dc single component single primary

Dc Resistance Rating In Ohms:

0.800 single component 1st secondary

Terminal Type And Quantity:

6 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-01-136-1946

Pulse Transformer - Page 2 of 2



Fiig:

A058b0