

View Online at <https://aerobasegroup.com/nsn/5950-01-137-2297>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.360 inches single mounting facility all center groupings and 4.390 inches single mounting facility all center groupings

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.110 inches single mounting facility all center groupings and 4.140 inches single mounting facility all center groupings

Frequency Rating:

48.0 hertz single component and 62.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

5.440 inches

Body Width:

Between 5.075 inches and 5.130 inches

Body Height:

Between 5.105 inches and 5.125 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 all groupings

Mounting Method:

Threaded hole all groupings

Winding Function And Quantity:

3 primary single component and 3 secondary single component

Features Provided:

Color coded lead and tinned wire leads

Thread Size:

0.250 inches all groupings

Winding Operating Current:

750.0 milliamperes dc single component 3rd secondary

Winding Power Rating:

9.0 volts-amperes single component 3rd secondary

Winding Operating Voltage:

34.00 dc volts single component 1st secondary

Special Features:

Three primary windings; three secondary windings; multiple taps with center tap third primary

Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

17 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0