# NSN 5950-01-138-1881

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-138-1881

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.710 inches single mounting facility single center group and 1.730 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.710 inches single mounting facility single center group and 1.730 inches single mounting facility single center group

#### Frequency Rating:

17.0 kilohertz single component and 35.0 kilohertz single component

## Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

Between 2.110 inches and 2.130 inches

**Body Width:** 

Between 2.110 inches and 2.130 inches

**Body Height:** 

1.060 inches

# **Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:** 

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 8 secondary single component

Thread Size:

0.138 inches single group

#### **Winding Operating Current:**

750.0 milliamperes dc single component 1st secondary and 1.5 amperes dc single component 1st secondary

### Winding Operating Voltage:

58.00 ac volts single component 1st secondary

#### **Special Features:**

One primary winding; eight secondary windings, first, second, third, fourth, fifth, and sixth secondary center tapped

#### **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

25 turret

# Shelf Life:

N/a

### **Unit Of Measure:**

--

# NSN 5950-01-138-1881

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0