

View Online at <https://aerobasegroup.com/nsn/5950-01-139-0479>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.625 inches single mounting facility single center group

Mounting Hole Diameter:

0.221 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Maximum Transformer Power Rating:

15.0 watts single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

4.250 inches

Body Width:

3.318 inches

Body Height:

3.380 inches

Maximum Operating Temp:

137.0 degrees fahrenheit

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Winding Operating Current:

200.0 milliamperes ac single component single primary

Winding Operating Voltage:

60.00 ac volts single component 3rd secondary

Terminal Type And Quantity:

16 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0