

View Online at <https://aerobasegroup.com/nsn/5950-01-139-0510>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.500 inches single mounting facility single center group

Mounting Hole Diameter:

0.438 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

500.0 volt-ampere single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

7.750 inches

Body Width:

7.000 inches

Body Height:

3.875 inches

Maximum Operating Temp:

115.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Bracket single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

4.16 amperes ac single component single secondary

Winding Operating Voltage:

120.00 ac volts single component single secondary

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0