

View Online at <https://aerobasegroup.com/nsn/5950-01-140-9532>

Reliability Indicator:

Not established

Inductance Rating:

3.51 microhenries single component single winding and 4.29 microhenries single component single winding

Coil Form Type:

Solid single component

Core Construction:

Solid single component

Body Length:

Between 0.240 inches and 0.260 inches

Body Outside Diameter:

Between 0.085 inches and 0.105 inches

Maximum Operating Temp:

105.0 degrees celsius

End Application:

Nsn: 4920-01-084-7157, test set, analog module; wsd: forrestal cv; oliver perry ffg; spruance dd (963) arleigh burke ddg; ticonderoga cg (47); nimitz cvn; landing craft air cushion (lcac); support equipment, b-1 and b-52 aircraft

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding

Features Provided:

Tinned wire leads

Winding Operating Current:

250.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

1.000 single component single winding

Quality Factor:

45 single component single winding

Criticality Code Justification:

Feat

Special Features:

Weapon system essential

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0