

View Online at <https://aerobasegroup.com/nsn/5950-01-140-9533>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.151 inches single mounting facility single center group and 1.161 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.026 inches single mounting facility single center group and 1.036 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

Between 1.500 inches and 1.532 inches

Body Width:

Between 1.370 inches and 1.380 inches

Body Height:

Between 1.844 inches and 1.906 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

2.0 milliamperes ac single component single primary

Winding Operating Voltage:

57.30 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0