## NSN 5950-01-141-4600

Power Transformer - Page 1 of 1

Fiig: A058b0



View Online at https://aerobasegroup.com/nsn/5950-01-141-4600 **Reliability Indicator:** Not established Frequency Rating: 20.0 kilohertz single component Input-output Phase Relationship: Single phase to single phase single component Winding Shielding Method: Internal shield grounded to core single component **Body Length: 2.700 inches Body Width:** 2.700 inches **Body Height:** 2.000 inches **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 3 single group **Mounting Method:** Unthreaded hole single group **Winding Function And Quantity:** 1 primary single component and 1 secondary single component Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle: 1.500 inches single mounting facility single center group **Winding Operating Current:** 500.0 milliamperes ac single component single primary Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle: 2.200 inches single mounting facility single center group **Winding Operating Voltage:** 23.70 ac volts single component single secondary **Terminal Type And Quantity:** 4 wire lead and 1 wire lead w/lug Shelf Life: N/a **Unit Of Measure: Demilitarization:** No