

View Online at <https://aerobasegroup.com/nsn/5950-01-149-2488>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.783 inches single mounting facility single center group and 2.843 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.501 inches single mounting facility single center group and 2.561 inches single mounting facility single center group

Mounting Slot Width:

0.189 inches single group and 0.249 inches single group

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 3.345 inches and 3.405 inches

Body Width:

Between 2.970 inches and 3.030 inches

Body Height:

Between 2.783 inches and 2.843 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Features Provided:

Color coded lead and tinned wire leads

Winding Operating Current:

4.0 amperes ac single component 1st secondary

Winding Power Rating:

70.0 volts-amperes single component 1st secondary

Winding Operating Voltage:

30.00 ac volts single component 2nd secondary

Terminal Type And Quantity:

10 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0