## NSN 5950-01-149-6534

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-149-6534

Reliability Indicator:
Not established
Overall Length:
Between 2.187 inches and 2.312 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.672 inches single mounting facility single center group and 1.704 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.422 inches single mounting facility single center group and 1.454 inches single mounting facility single center group
Overall Height:
Between 2.937 inches and 3.250 inches
Overall Width:
Between 1.937 inches and 2.062 inches
Frequency Rating:
50.0 hertz single component and 65.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
540.0 milliamperes ac single component all secondary
Winding Operating Voltage:
28.00 ac volts single component all secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
6 wire hook
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-01-149-6534

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0