

View Online at <https://aerobasegroup.com/nsn/5950-01-152-1911>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.938 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.563 inches single mounting facility single center group

Mounting Hole Diameter:

0.281 inches single group

Frequency Rating:

180.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

7.380 inches

Body Width:

4.630 inches

Body Height:

5.060 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Winding Operating Current:

75.0 amperes dc single component single primary output

Winding Power Rating:

855.0 volts-amperes single component single primary input

Criticality Code Justification:

Ttqy

Winding Operating Voltage:

5.70 ac volts single component single primary output

Precious Material And Location:

Terminal surface silver

Precious Material:

Silver

Terminal Type And Quantity:

3 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0