

View Online at <https://aerobasegroup.com/nsn/5950-01-153-7399>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.150 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.740 inches single mounting facility single center group

Overall Height:

1.875 inches

Frequency Rating:

25.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

2.400 inches

Body Width:

2.240 inches

Body Height:

1.650 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

3.0 amperes ac single component 2nd secondary

Winding Power Rating:

310.0 volts-amperes single component single primary

Winding Operating Voltage:

60.00 ac volts single component 1st secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

3 tab, solder lug and 9 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0