

View Online at <https://aerobasegroup.com/nsn/5950-01-153-9395>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.150 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.150 inches single mounting facility single center group

Mounting Hole Diameter:

0.173 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

4.480 inches

Body Width:

2.480 inches

Body Height:

3.750 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Winding Operating Current:

500.0 milliamperes dc single component 4th secondary

Winding Operating Voltage:

9.00 dc pounds per hour wet single component 2nd secondary

Special Features:

1 primary winding and 6 secondary windings; voltage and current rated 1n dc

Terminal Type And Quantity:

21 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0