

View Online at <https://aerobasegroup.com/nsn/5950-01-154-2158>

Reliability Indicator:

Not established

Overall Length:

3.750 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

Overall Height:

3.125 inches

Overall Width:

3.000 inches

Mounting Slot Width:

0.187 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

216.0 volt-ampere single component

Installation For Which Designed:

Indoor nonportable

End Application:

6520-00-000-0158

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Cooling Method:

Self-cooled

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

6.0 amperes ac single component single secondary

Winding Power Rating:

216.0 volts-amperes single component single secondary

Winding Operating Voltage:

18.00 ac volts single component single secondary or 20.00 ac volts single component single secondary or 22.00 ac volts single component single secondary or 24.00 ac volts single component single secondary

Special Features:

Two black output leads from secondary; terminated w/female pins, housed in a plastic male plug

Terminal Type And Quantity:

1 wire lead and 4 quick disconnect, female and 1 connector, plug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0