

View Online at <https://aerobasegroup.com/nsn/5950-01-154-4455>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.312 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches single mounting facility single center group

**Mounting Slot Width:**

0.312 inches single group

**Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

1.0 kilovolt-ampere single component

**Body Length:**

7.187 inches

**Body Width:**

5.812 inches

**Body Height:**

6.812 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Slot single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Winding Operating Current:**

8.7 amperes ac single component 3rd secondary

**Winding Operating Voltage:**

220.00 ac volts single component single primary and 440.00 ac volts single component single primary

**Special Features:**

Primary fuse blocks and secondary fuse kits available

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0