

View Online at <https://aerobasegroup.com/nsn/5950-01-155-4778>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.750 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-wye

**Body Length:**

2.750 inches

**Body Width:**

2.375 inches

**Body Height:**

3.812 inches

**End Application:**

Arleigh burke class ddg; missile system, aegis surface (sms) mk 7; guided missile launching system, mk 26 (gmls); ticonderoga class cg (47)

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary, fixed autotransformer type single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

320.0 milliamperes ac single component single primary input

**Criticality Code Justification:**

Feat

**Winding Operating Voltage:**

57.50 ac volts single component single primary output

**Special Features:**

Weapon system essential

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0