NSN 5950-01-158-2502

Saturable Reactor - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5950-01-158-2502

5
Reliability Indicator:
Not established
Overall Length:
6.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.000 inches single mounting facility single center group
Overall Height:
6.344 inches
Overall Width:
4.500 inches
Frequency Rating:
60.0 hertz single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Height:
5.250 inches
Maximum Operating Temp:
170.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
2 primary and 2 control single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.190 inches single group
Dc Resistance Rating In Ohms:
0.435 single component all control
Winding Operating Voltage:
26.00 ac volts single component all primary
Thread Series Designator:
Unf single group
Terminal Type And Quantity:
8 clip
Shalf Life:

NSN 5950-01-158-2502

Saturable Reactor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0