NSN 5950-01-158-2502

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-158-2502

Reliability Indicator: Not established **Overall Length:** 6.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.000 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 3.000 inches single mounting facility single center group **Overall Height:** 6.344 inches **Overall Width:** 4.500 inches **Frequency Rating:** 60.0 hertz single component Winding Shielding Method: Internal shield grounded to core single component **Body Height:** 5.250 inches **Maximum Operating Temp:** 170.0 degrees celsius Inclosure Type: Hermetically sealed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group Winding Function And Quantity: 2 primary and 2 control single component Thready Qty Per Inch (tpi): 32 single group **Thread Size:** 0.190 inches single group **Dc Resistance Rating In Ohms:** 0.435 single component all control Winding Operating Voltage: 26.00 ac volts single component all primary **Thread Series Designator:** Unf single group **Terminal Type And Quantity:** 8 clip Shelf Life: N/a

NSN 5950-01-158-2502

Saturable Reactor - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

