NSN 5950-01-160-0968

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-160-0968 **Reliability Indicator:** Not established **Turn Quantity:** 41 single component single winding **Inductance Type:** Fixed **Inductance Rating:** 140.00 microhenries single component single winding Frequency Rating: 10.0 kilohertz single component **Distance Between Mounting Facility Centers:** 2.670 inches single mounting facility single center group Winding Quantity: 1 single component **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 2 single group **Mounting Method:** Threaded hole single group **Rating Method:** Electrical single component single winding and winding turns single component single winding Thready Qty Per Inch (tpi): 40 single group **Thread Size:** 0.112 inches single group **Winding Conductor Size:** 0.03196 inches american wire gage single component single winding **Winding Operating Current:** 10.0 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.135 single component single winding **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 2 wire lead w/lug Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5950-01-160-0968

Reactor - Page 2 of 2



Fiig:

A058b0