## NSN 5950-01-161-0912

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-161-0912
Reliability Indicator:
Not established
Turn Quantity:
26 single component all winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.375 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.125 inches single mounting facility single center group
Mounting Slot Width:
0.312 inches single group
Inductance Type:
Fixed
Inductance Rating:
900.00 microhenries single component all winding
Frequency Rating:
60.0 hertz single component
Body Length:
5.437 inches
Body Width:
4.875 inches
Body Height:
6.562 inches
Winding Quantity:
2 single component
Inclosure Type:
Partially enclosed, double shell
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and slot single group
Rating Method:
Electrical single component all winding and winding turns single component all winding
Winding Conductor Size:
0.01594 inches american wire gage single component all winding
Winding Operating Current:
50.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.005 single component all winding
Terminal Type And Quantity:
4 wire lead w/lug
Shelf Life:

N/a

## NSN 5950-01-161-0912

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0