NSN 5950-01-162-0082

Power Transformer - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-01-162-0082 |
|---|
| Overall Length: |
| 5.310 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 4.370 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.500 inches single mounting facility single center group |
| Overall Height: |
| 5.250 inches |
| Overall Width: |
| 4.440 inches |
| Frequency Rating: |
| 50.0 hertz single component and 400.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Inclosure Type: |
| Partially enclosed, half shell |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 2 primary single component and 4 secondary single component |
| Winding Operating Current: |
| 6.0 amperes dc single component 4th secondary |
| Winding Operating Voltage: |
| 38.00 ac volts single component 2nd secondary |
| Terminal Type And Quantity: |
| 18 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |