

View Online at <https://aerobasegroup.com/nsn/5950-01-167-9093>

Reliability Indicator:

Not established

Overall Length:

3.000 inches

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

380.0 volt-ampere single component

Adjustment Device Drive Type:

Shaft single component

Body Length:

2.125 inches

Body Outside Diameter:

2.812 inches

Mounting Bolt Circle Diameter:

1.687 inches single mounting facility single center group

End Application:

Austin ship class lpd-4 amphibious transport docks; wasp class lhd; tarawa class lha

Inclosure Type:

Open

Mounting Facility Quantity:

3 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

0.8 amperes ac single component 3rd secondary

Winding Power Rating:

2.0 watts single component all primary

Adjustment Method And Quantity:

1 adjustable control single component

Winding Operating Voltage:

480.00 ac volts single component all primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0