# NSN 5950-01-168-7838

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-168-7838

# **Reliability Indicator:** Not established **Overall Length:** Between 1.719 inches and 1.781 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.234 inches single mounting facility single center group and 1.266 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.046 inches single mounting facility single center group and 1.078 inches single mounting facility single center group **Overall Height:** Between 2.626 inches and 2.874 inches **Overall Width:** Between 1.469 inches and 1.531 inches **Frequency Rating:** 50.0 hertz single component and 400.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component

**Maximum Transformer Power Rating:** 

# 5.0 volt-ampere single component

Winding Shielding Method:

Internal shield grounded to core single component

## Maximum Operating Temp:

130.0 degrees celsius

**Inclosure Type:** 

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### **Thread Size:**

0.138 inches single group

#### Winding Operating Current:

180.0 milliamperes ac single component single secondary

#### Winding Operating Voltage:

28.00 ac volts single component single secondary

### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

5 wire hook

### Shelf Life:

N/a

# NSN 5950-01-168-7838

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

