

View Online at <https://aerobasegroup.com/nsn/5950-01-175-9943>

Reliability Indicator:

Not established

Turn Quantity:

29 single component single winding

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.062 inches single mounting facility single center group and 4.937 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.750 inches single mounting facility single center group and 4.937 inches single mounting facility single center group

Mounting Slot Width:

0.281 inches single group

Inductance Rating:

60.00 millihenries single component single winding

Frequency Rating:

60.0 hertz single component

Body Length:

4.750 inches

Body Width:

2.187 inches

Body Height:

4.500 inches

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 2nd group

Mounting Method:

Slot single group and threaded hole single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Conductor Size:

0.06408 inches american wire gage single component single winding

Winding Operating Current:

7.5 amperes ac single component single winding and 8.3 amperes ac single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 wire lead w/lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0