## NSN 5950-01-179-4722

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-179-4722

View Online at https://aerobasegroup.com/nsn/5950-01-1/9-4/22
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.990 inches single mounting facility single center group and 1.010 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.840 inches single mounting facility single center group and 0.860 inches single mounting facility single center group
Overall Height:
1.320 inches
Inductance Type:
Fixed
Inductance Rating:
5.00 millihenries single component 2nd winding
Frequency Rating:
15.0 kilohertz single component
Body Length:
1.400 inches
Body Width:
1.200 inches
Body Height:
1.100 inches
Winding Quantity:
2 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component all winding
Thread Size:
0.086 inches single group
Winding Operating Current:
1.8 amperes dc single component 1st winding
Dc Resistance Rating In Ohms:
2.500 single component 2nd winding
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
4 turret
Shelf Life:

N/a

## NSN 5950-01-179-4722

Reactor - Page 2 of 2



	• •			
 n	1+	<i>(</i> )+	Meas	uro.

--

Demilitarization:

No

Fiig:

A058b0