NSN 5950-01-183-6417

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-183-6417

Reliability	Indicator:
-------------	------------

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.803 inches single mounting facility single center group and 0.823 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.896 inches single mounting facility single center group and 0.916 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

1.00 millihenries single component single winding

Frequency Rating:

2.28 kilohertz single component and 2.52 kilohertz single component

Body Length:

1.380 inches

Body Width:

1.380 inches

Body Height:

1.630 inches

Maximum Operating Temp:

95.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.138 inches single group

Winding Operating Current:

2.5 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.170 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

NSN 5950-01-183-6417

Reactor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0