NSN 5950-01-183-6430

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-183-6430

Reliability Indicator:

Not established

Inductance Type:

Swinging

Inductance Rating:

550.00 microhenries single component single winding and 580.00 microhenries single component single winding

Frequency Rating:

40.0 kilohertz single component and 46.0 kilohertz single component

Body Length:

1.310 inches

Body Outside Diameter:

1.620 inches

Maximum Operating Temp:

95.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

 $0.15 \ \text{amperes dc} \ \text{single component single winding and } 3.2 \ \text{amperes dc} \ \text{single component single winding}$

Dc Resistance Rating In Ohms:

0.0765 single component single winding

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

2 wire loop

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-01-183-6430

Reactor - Page 2 of 2

Fiig: A058b0

