NSN 5950-01-185-1337

Reactor - Page 1 of 2

51 single component 1st winding

Reliability Indicator:

Not established Turn Quantity:



View Online at https://aerobasegroup.com/nsn/5950-01-185-1337

Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.600 inches single mounting facility single center group
Mounting Hole Diameter:
0.147 inches single group
Inductance Type:
Fixed
Inductance Rating:
42.00 microhenries single component all winding
Frequency Rating:
10.0 kilohertz single component
Body Length:
2.500 inches
Body Width:
1.000 inches
Body Height:
0.750 inches
Maximum Operating Temp:
65.0 degrees celsius
Winding Quantity:
2 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component all winding
Winding Operating Current:
1.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.395 single component all winding
Terminal Type And Quantity:
4 wire lead
Shelf Life:
N/a

NSN 5950-01-185-1337

Reactor - Page 2 of 2



ı	1	n	iŧ	0	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0