NSN 5950-01-186-4691

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-186-4691

Deliability Indicators				
Reliability Indicator:				
Not established				
Turn Quantity:				
193 single component all winding				
Center To Center Distance Between Mounting Facilities Parallel To Length:				
2.100 inches single mounting facility single center group				
Center To Center Distance Between Mounting Facilities Parallel To Width:				
0.850 inches single mounting facility single center group				
Inductance Type:				
Fixed				
Inductance Rating:				
1.00 millihenries single component all winding				
Frequency Rating:				
10.0 kilohertz single component				
Body Length:				
2.500 inches				
Body Width:				
1.250 inches				
Body Height:				
0.800 inches				
Maximum Operating Temp:				
71.0 degrees celsius				
Winding Quantity:				
3 single component				
Inclosure Type:				
Fully enclosed				
Mounting Facility Quantity:				
4 single group				
Mounting Method:				
Threaded hole single group				
Rating Method:				
Electrical single component all winding and winding turns single component all winding				
Thready Qty Per Inch (tpi):				
40 single group				
Thread Size:				
0.112 inches single group				
Winding Conductor Size:				
0.01003 inches american wire gage single component all winding				
Dc Resistance Rating In Ohms:				
1.600 single component all winding				

Unc single group

Thread Series Designator:

NSN 5950-01-186-4691

Reactor - Page 2 of 2



Terminal	Type	And	Quantity:
-----------------	------	-----	-----------

6 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0