# NSN 5950-01-186-6704

Reactor - Page 1 of 1





## **Reliability Indicator:**

Not established

# Inductance Type:

Fixed

# Inductance Rating:

20.00 henry single component single winding

## **Frequency Rating:**

400.0 hertz single component

#### **Body Length:**

1.063 inches

#### **Body Width:**

0.750 inches

#### Body Height:

0.812 inches

#### Maximum Operating Temp:

# 105.0 degrees celsius

Winding Quantity:

1 single component

# Inclosure Type:

Fully enclosed

## Mounting Method:

Terminal single group

#### **Rating Method:**

Electrical single component single winding

## Winding Operating Current:

2.7 milliamperes dc single component single winding

## Dc Resistance Rating In Ohms:

1310.000 single component single winding

## **Test Data Document:**

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

2 pin

#### **Specification Data:**

81349-mil-t-27/168 government specification

#### Shelf Life:

N/a

## Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A058b0