## NSN 5950-01-186-8222

Reactor - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5950-01-166-6222
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
3.000 inches
Turn Quantity:
5772 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.375 inches single mounting facility single center group
Overall Height:
2.940 inches
Overall Width:
2.380 inches
Inductance Type:
Fixed
Inductance Rating:
4.00 henry single component single winding
Frequency Rating:
1.0 kilohertz single component
Maximum Operating Temp:
200.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Thread Size:
0.138 inches single group
Winding Conductor Size:
0.01003 inches american wire gage single component single winding
Winding Operating Current:
90.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

366.000 single component single winding

## NSN 5950-01-186-8222

Reactor - Page 2 of 2



Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 threaded hole
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0