## NSN 5950-01-189-5474

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-189-5474

### **Reliability Indicator:**

Not established

#### **Overall Length:**

0.520 inches

#### Turn Quantity:

43 single component single winding

#### Mounting Hole Diameter:

0.140 inches single group

#### Inductance Type:

Fixed

#### Inductance Rating:

294.00 microhenries single component single winding

#### **Frequency Rating:**

10.0 kilohertz single component

#### **Body Outside Diameter:**

0.610 inches

## End Application:

Keying group, kg-81

## Winding Quantity:

1 single component

#### Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

1 single group

#### **Mounting Method:**

Unthreaded hole single group

#### **Rating Method:**

Electrical single component single winding and winding turns single component single winding

#### Winding Conductor Size:

0.01126 inches american wire gage single component single winding

#### Winding Operating Current:

250.0 milliamperes dc single component single winding

#### Dc Resistance Rating In Ohms:

0.207 single component single winding

#### **Special Features:**

Electrical data taken from test conditions

#### **Terminal Type And Quantity:**

2 turret

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5950-01-189-5474

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

