

View Online at <https://aerobasegroup.com/nsn/5950-01-192-4277>

Reliability Indicator:

Not established

Overall Length:

Between 2.813 inches and 2.937 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.734 inches 2nd mounting facility single center group and 1.766 inches 2nd mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.922 inches 2nd mounting facility single center group and 0.954 inches 2nd mounting facility single center group

Overall Height:

1.600 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Width:

Between 2.313 inches and 2.437 inches

Distance Between Mounting Facility Centers:

1.734 inches 1st mounting facility single center group and 1.766 inches 1st mounting facility single center group

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 2nd group

Mounting Method:

Threaded hole all groupings

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.112 inches all groupings

Winding Operating Current:

2.5 amperes dc single component 2nd secondary

Winding Operating Voltage:

35.00 ac volts single component 1st secondary

Special Features:

Dc currents have been rectified

Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0