## NSN 5950-01-192-4368

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-192-4368

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.120 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.640 inches single mounting facility single center group

### **Mounting Hole Diameter:**

0.160 inches single group

### **Frequency Rating:**

50.0 hertz single component and 500.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Maximum Transformer Power Rating:**

10.0 volt-ampere single component

### **Body Length:**

2.000 inches

### **Body Width:**

1.500 inches

### **Body Height:**

1.700 inches

### **Inclosure Type:**

Partially enclosed, double shell

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Bracket single group and unthreaded hole single group

### **Winding Function And Quantity:**

2 primary single component and 2 secondary single component

### **Winding Operating Current:**

450.0 milliamperes dc single component single primary

### **Winding Power Rating:**

5.4 volts-amperes single component all secondary

### **Winding Operating Voltage:**

12.00 ac pounds per hour wet single component all secondary

### **Terminal Type And Quantity:**

8 pin

### **Specification Data:**

56996-b4013204 manufacturers source control

### Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5950-01-192-4368

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0