## NSN 5950-01-196-1130

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-196-1130

Reliability Indicator:
Not established
Turn Quantity:
96 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.850 inches single mounting facility single center group
Mounting Hole Diameter:
0.156 inches single group
Inductance Type:
Swinging
Inductance Rating:
1.50 millihenries single component single winding and 2.00 millihenries single component single winding
Frequency Rating:
800.0 hertz single component
Body Length:
2.150 inches
Body Width:
2.625 inches
Body Height:
1.075 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Winding Conductor Size:
0.05082 inches american wire gage single component single winding
Winding Operating Current:
12.0 amperes dc single component single winding
Terminal Type And Quantity:
2 wire lead
Shelf Life:

N/a

## NSN 5950-01-196-1130

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0