NSN 5950-01-203-1141

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-203-1141

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.925 inches single mounting facility single center group and 0.935 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.925 inches single mounting facility single center group and 0.935 inches single mounting facility single center group

Mounting Hole Diameter:

0.166 inches single group

Inductance Type:

Swinging

Inductance Rating:

75.00 microhenries single component single winding and 100.00 microhenries single component single winding

Frequency Rating:

360.0 hertz single component and 30.0 kilohertz single component

Body Length:

1.280 inches

Body Width:

1.280 inches

Body Height:

Between 0.690 inches and 0.750 inches

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single winding

Winding Operating Current:

6.0 amperes dc single component single winding and 7.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.020 single component single winding

Terminal Type And Quantity:

2 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-01-203-1141

Reactor - Page 2 of 2

Fiig: A058b0

