## NSN 5950-01-203-2914

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-203-2914

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

4.940 inches single mounting facility single center group and 5.060 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

4.060 inches single mounting facility single center group and 4.560 inches single mounting facility single center group

## **Overall Height:**

Between 8.120 inches and 8.620 inches

## Mounting Hole Diameter:

0.250 inches single group

## Inductance Type:

Fixed

#### Inductance Rating:

117.00 microhenries single component single winding and 143.00 microhenries single component single winding

#### **Body Length:**

Between 6.500 inches and 7.000 inches

## **Body Width:**

Between 5.190 inches and 5.310 inches

## Maximum Operating Temp:

145.0 degrees celsius

## Winding Quantity:

1 single component

## Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

## Mounting Method:

Unthreaded hole single group

## **Rating Method:**

Electrical single component single winding

#### Winding Operating Current:

215.0 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.001 single component single winding

## **Terminal Type And Quantity:**

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

# NSN 5950-01-203-2914

Reactor - Page 2 of 2

Fiig: A058b0

