

View Online at <https://aerobasegroup.com/nsn/5950-01-203-5791>

**Reliability Indicator:**

Not established

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

15.0 watts single component

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Length:**

4.000 inches

**Body Width:**

4.000 inches

**Body Height:**

4.500 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

3 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Size:**

0.138 inches single group

**Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle:**

3.000 inches single mounting facility single center group

**Winding Operating Current:**

100.0 milliamperes ac single component 2nd secondary

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

3.000 inches single mounting facility single center group

**Winding Operating Voltage:**

18.00 ac volts single component 2nd secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0