

View Online at <https://aerobasegroup.com/nsn/5950-01-204-1335>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.980 inches single mounting facility single center group and 3.020 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.420 inches single mounting facility single center group and 2.460 inches single mounting facility single center group

Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

3.940 inches

Body Width:

3.380 inches

Body Height:

5.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Thread Size:

0.190 inches single group

Winding Operating Current:

6.5 amperes ac single component 4th secondary

Winding Operating Voltage:

50.00 ac volts single component 2nd secondary

Special Features:

1 primary winding; 6 secondary windings

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

20 tab, solder lug

Specification Data:

54497-1011d0551 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0