# NSN 5950-01-204-2228

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-204-2228

# Reliability Indicator: Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

8.250 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

5.250 inches single mounting facility single center group

### Mounting Hole Diameter:

0.296 inches single group

#### **Frequency Rating:**

60.0 hertz single component

### Input-output Phase Relationship:

Three phase to three phase single component

### **Transformer Winding Connection Type:**

Delta-delta

#### Winding Shielding Method:

Internal shield brought out to terminal single component

**Body Length:** 

#### 9.380 inches

Body Width:

6.880 inches

### Body Height:

4.750 inches

#### Inclosure Type:

Fully enclosed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Bracket single group and unthreaded hole single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

### Winding Operating Current:

1.4 amperes ac single component single primary

### Winding Operating Voltage:

370.00 ac pounds per hour wet single component single secondary

#### **Terminal Type And Quantity:**

2 terminal block w/screws

#### Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

# NSN 5950-01-204-2228

Power Transformer - Page 2 of 2

**Fiig:** A058b0

