## NSN 5950-01-205-2274

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-205-2274

Reliability	Indicator
Not establis	shed

Center To Center Distance Between Mounting Facilities Parallel To Length:

7.200 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

4.200 inches single mounting facility single center group

**Mounting Hole Diameter:** 

0.296 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to three phase single component

**Transformer Winding Connection Type:** 

Delta-delta

**Winding Shielding Method:** 

Internal shield grounded to inclosure and brought out to terminal single component

**Body Length:** 

8.120 inches

**Body Width:** 

5.530 inches

**Body Height:** 

Between 4.000 inches and 4.120 inches

**Inclosure Type:** 

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Bracket single group and unthreaded hole single group

**Winding Function And Quantity:** 

1 primary single component and 5 secondary single component

**Winding Operating Current:** 

3.2 amperes ac single component 4th secondary

**Winding Operating Voltage:** 

24.50 ac pounds per hour wet single component 4th secondary

Terminal Type And Quantity:

2 terminal block w/screws

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

## NSN 5950-01-205-2274

Power Transformer - Page 2 of 2



Fiig:

A058b0