NSN 5950-01-206-0627

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-206-0627

| Rε | lia | ıbil | ity | Ind | icato | r: |
|----|-----|------|-----|-----|-------|----|
| | | | | | | |

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.297 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.860 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

1.00 henry single component single winding

Frequency Rating:

259.5 hertz single component

Body Length:

3.063 inches

Body Width:

2.625 inches

Body Height:

4.250 inches

Maximum Operating Temp:

105.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thread Size:

0.164 inches single group

Winding Operating Current:

450.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

40.000 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

NSN 5950-01-206-0627

Reactor - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A058b0