

View Online at <https://aerobasegroup.com/nsn/5950-01-208-4783>

Reliability Indicator:

Not established

Overall Length:

2.080 inches

Overall Height:

1.250 inches

Overall Width:

Between 1.480 inches and 1.560 inches

Mounting Hole Diameter:

0.140 inches single group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Maximum Operating Temp:

170.0 degrees celsius

Distance Between Mounting Facility Centers:

1.740 inches single mounting facility single center group and 1.760 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

48.0 milliamperes ac single component all secondary

Winding Power Rating:

5.52 volts-amperes single component all secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

353.00 ac volts single component single primary and 430.00 ac volts single component single primary

Special Features:

Nuclear hardness critical item

Terminal Type And Quantity:

9 wire loop

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0