Audio Frequency Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-210-6318

| Reliability Indicator: |
|---|
| Not established |
| Impedance Rating In Ohms: |
| 0.056 single component single secondary |
| Frequency Rating: |
| 2.0 kilohertz and 200.0 kilohertz single component |
| Maximum Transformer Power Rating: |
| 600.0 milliwatts single component |
| Body Length: |
| 0.410 inches |
| Body Outside Diameter: |
| 0.350 inches |
| Inclosure Type: |
| Fully enclosed |
| Mounting Method: |
| |
| Terminal single group |
| Terminal single group Winding Function And Quantity: |
| |
| Winding Function And Quantity: |
| Winding Function And Quantity: 1 primary and 1 secondary single component |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: N/a |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: N/a Unit Of Measure: |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: N/a Unit Of Measure: |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: |
| Winding Function And Quantity: 1 primary and 1 secondary single component Terminal Type And Quantity: 6 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No |