NSN 5950-01-210-7662

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-210-7662

Reliability Indicator:

Not established

Overall Length:

Between 5.470 inches and 5.530 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.730 inches single mounting facility single center group and 4.770 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.730 inches single mounting facility single center group and 1.770 inches single mounting facility single center group

Overall Height:

1.960 inches

Mounting Hole Diameter:

0.225 inches single group and 0.231 inches single group

Inductance Rating:

31.00 microhenries single component single winding

Frequency Rating:

10.0 kilohertz single component

Body Width:

Between 2.470 inches and 2.530 inches

Maximum Operating Temp:

155.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single winding

Features Provided:

W/capacitor and w/rectifier

Winding Operating Current:

45.0 amperes ac single component single winding

Dc Resistance Rating In Ohms:

0.013 single component single winding

Test Data Document:

18876-11464564 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 tab, solder lug and 3 threaded stud

Shelf Life:

N/a

NSN 5950-01-210-7662

Reactor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0