## NSN 5950-01-211-7801

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-211-7801

Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Fungus resistant
Mounting Hole Diameter:
0.132 inches single group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
2.380 inches
Body Width:
2.000 inches
Body Height:
1.620 inches
Maximum Operating Temp:
105.0 degrees celsius
Distance Between Mounting Facility Centers:
1.500 inches single mounting facility single center group
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Winding Operating Current:
17.0 milliamperes ac single component all secondary
Winding Operating Voltage:
55.60 ac volts single component all secondary
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5950-01-211-7801

Power Transformer - Page 2 of 2



Fiig:

A058b0