

View Online at <https://aerobasegroup.com/nsn/5950-01-215-0702>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye and delta-delta

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

4.344 inches

Body Width:

3.906 inches

Body Height:

1.938 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary and 2 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

3.7 amperes ac single component all secondary

Winding Operating Voltage:

17.15 ac volts single component all secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

10 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0