# NSN 5950-01-215-4054

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-215-4054

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.438 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.161 inches single group

#### Frequency Rating:

380.0 hertz and 420.0 hertz single component

#### Input-output Phase Relationship:

Three phase to single phase and three phase to two phase and three phase to three phase single component

#### **Transformer Winding Connection Type:**

Wye-open delta and wye-wye

#### **Body Length:**

3.355 inches

# **Body Width:**

Between 2.580 inches and 2.680 inches

#### **Body Height:**

1.545 inches

# **Maximum Operating Temp:**

155.0 degrees celsius

#### **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Unthreaded hole single group

#### **Winding Function And Quantity:**

1 primary and 7 secondary single component

#### **Features Provided:**

Color coded lead

# Cubic Measure (non-core):

13.9 cubic inches

#### **Winding Operating Current:**

60.0 milliamperes ac and 5.0 amperes ac single component 1st secondary

# **Winding Operating Voltage:**

72.50 ac volts single component 2nd secondary

# **Special Features:**

1 primary; 7 secondaries

# **Unpackaged Unit Weight (non-core):**

2.100 pounds

# NSN 5950-01-215-4054

Power Transformer - Page 2 of 2



Term	inal	Type	Δnd	Quar	titv.
ıenn	IIIIai	IVDE	Allu	wuai	ILILV.

34 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0