NSN 5950-01-215-4710



Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-215-4710 Thread Class (non-core): Unable to decode Thread Direction (non-core): Unable to decode **Reliability Indicator:** Not established **Overall Length:** Between 2.032 inches and 2.094 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.484 inches and 1.516 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.234 inches and 1.266 inches single mounting facility single center group **Overall Height:** Between 3.001 inches and 3.249 inches **Overall Width:** Between 1.719 inches and 1.781 inches Frequency Rating: 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Maximum Transformer Power Rating:** 10.0 volt-ampere single component Winding Shielding Method: Internal shield grounded to core single component **Body Length:** 2.750 inches **Body Width:**

1.750 inches

Body Height:

2.062 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary and 1 secondary single component

Cubic Measure (non-core):

9.9 cubic inches

NSN 5950-01-215-4710

Power Transformer - Page 2 of 2



Thread Size:
0.138 inches single group
Winding Operating Current:
2.0 milliamperes ac single component single secondary
Winding Operating Voltage:
5.00 ac volts single component single secondary
Unpackaged Unit Weight (non-core):
1.500 pounds
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 wire hook
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0