

View Online at <https://aerobasegroup.com/nsn/5950-01-216-1054>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.375 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.250 inches single mounting facility single center group

**Mounting Slot Width:**

0.188 inches single group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

30.0 volt-ampere single component

**Winding Shielding Method:**

Internally shielded single component

**Body Length:**

3.130 inches

**Body Width:**

2.750 inches

**Body Height:**

2.750 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Slot single group

**Winding Function And Quantity:**

1 primary and 3 secondary single component

**Cubic Measure (non-core):**

23.7 cubic inches

**Winding Operating Current:**

600.0 milliamperes ac single component 3rd secondary

**Winding Power Rating:**

9.9 volts-amperes single component 1st secondary

**Winding Operating Voltage:**

36.00 ac volts single component 2nd secondary

**Terminal Type And Quantity:**

9 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0